



RESINOID



RESINOID

RESINOID WHEELS



Snagging Wheels

CUMI's Snagging wheels are made with a special brown Aluminium Oxide & Silicon carbide with our unique bond system. Optimized for good cutting action and long life.




PRODUCT RANGE - PORTABLE SNAGGING WHEEL - 48 MPS

Abrasive	Grit	Hardness	Dia (mm)	Thickness* (max) (mm)	Bond	Type
A, C	16 - 24	Q - R	50 - 200	10 - 100	B	1, 6, 11

PRODUCT RANGE - PEDASTAL & SWING FRAME SNAGGING WHEEL - upto 63 MPS

Abrasive	Grit	Hardness	Dia (mm)	Thickness* (max) (mm)	Bond	Type
A, C, ZA, CA	12 - 16	R - T	300 - 750	25 - 100	B	1



Portable Machine grinding wheels are used for rough grinding of large castings, forgings, welded joints and finishing curved surfaces.

PRODUCT RECOMMENDATIONS



Material	Portable Machine	
	Better Cutting Action	Higher Wheel Life
Carbon Steel and Low Alloy Steel	A163 R5 BM4	A163 R2 BM4
High Alloy and Stainless Steel	A163 Q5 BM4	A163 R5 BM4
Cast Iron	C 163 Q5 B1551	C163 Q3 B1551 / CA163 S3 B1215
SG Iron	A163 R5 BM4	A16 S5 TDR1215
Hi chrome Steel	A163 R5 BM4	A143 R5 BM6

Pedestal and Swing frame grinder machine wheels are suitable for all range of work materials, reinforced layers gives greater strength and will withstand mechanical shock.

PRODUCT RECOMMENDATIONS




Material	PEDESTAL / SWING FRAME Machine	
	Better Cutting Action	Higher Wheel Life
Carbon Steel and Low Alloy Steel	A163 R3 BM4 / A SLEEK	A163 R2 BM4
High Alloy and Stainless Steel	A165 R5 SAMURAI / A143 Q5 BSN821	A143 TD722
Cast Iron	C 163 Q5 B1551	CA163 TDR B1215 / C163 T5 BSG / CA145 TDR505C
SG Iron	A163 R5 BM4	A16 S5 TDR1215
Railway Inserts	A163 S3 B1380	A163 TDR 186
Hi chrome Steel	7A12 05 B1281	AZA123 TDR1175 /C
Investment Casting	A145 M5 SAMURAI CUT	A145 P5 SAMURAI CUT
Steel Castings	A145 Q7 BA12	A145 S7 BA12
Manganese Steel	14A16 P2 B1322	
Cast Iron & SG Iron	CUMI NXT CAZA143 U BHT54	

HOT PRESS GRINDING WHEELS

High Quality Zirconium Aluminum Oxide grains used in manufacturing of these wheels, it ensures high stock removal rate and excellent wheel life.

PRODUCT RANGE

Abrasive	Grit	Hardness	Dia (mm)	Thickness* (max) (mm)	Type
ZA	8 - 20	U - X	400 - 510	50	1



PRODUCT RECOMMENDATIONS



Material	Swing Frame Machine	
	Better Cutting Action	Higher Wheel Life
Alloy Steel (Low & High), Sp Alloy Steels	AZA103 V BHT1	AZA103 W BHT 53
SS 304 , SS 304 L	AZA103 V BHT53	AZA103 W BHT 53
SS 200	AZA103 V BHT50	PROMAX AZA103 X BHT 8
Alloy Steel (Low & High), Sp Alloy Steels, SS	PROMAX AZA103 X BHT 8	

Cup Wheels

CUMI's Resin cup wheels are designed for grinding of welded joints of metals and stone by means of portable grinders. Available with threaded nuts.

Product Features & Benefits

- High cutting action
- Smooth running
- Increased life
- No vibrations



PRODUCT RANGE

Abrasive	Grit	Hardness	Dia (mm)	Thickness* (max) (mm)	Bond	Type
A	12 - 24	R	100 - 152.4	50.8 - 80	BM4	6, 11
C	12 - 24	Q - R	100 - 152.4	50.8 - 80	B1551	6, 11

PRODUCT RECOMMENDATIONS

Material	Portable Machine	
	Better Cutting Action	Higher Wheel Life
Cast Iron	C 163 Q5 B1551	C163 Q3 B1551 / CA163 S3 B1215
SG Iron	A163 R5 BM4	A14 R3 B1215
Hi chrome Steel	A163 R5 BM4	A143 R5 BM6